



ROTAC SYNT

Viscosity 10, 18

Fully synthetic rock drill fluids / rapidly biodegradable

Description

MOTOREX ROTAC SYNT fluids are fully synthetic rock drill fluids for the lubrication of compressed air tools. The tools are reliably lubricated, even under the toughest conditions of use, and protected against wear and corrosion. ROTAC SYNT fluids are rapidly biodegradable.

Field of application

MOTOREX ROTAC SYNT fluid is used to lubricate rock drills, demolition drills and compressed air tools. It is used both in industry and the construction business, e.g. the building of tunnels, shafts, galleries, roads, quarries, demolition sites and other applications in the construction industry.

Advantages

- Fully synthetic: resists sticking
- Extremely reliable for winter use
- Very good protection against wear and corrosion
- Excellent cleansing effect, so does not become dirty or clogged
- Minimal odour and formation of spray

Note

Please see the manufacturer's instructions for information on viscosity and application.

ROTAC SYNT 10 and 18 cannot be mixed and are not compatible with all mineral oils, esters and polyalphaolefins (PAO).



Technical data

Properties	Unit	Test according to	Value 1	Value 2
Viscosity class			10	18
Colour		DIN ISO 2049	green	green
Density at 20 °C	g/ml	ASTM D 4052	1.059	1.052
Viscosity at 40 °C	mm ² /s	DIN 51562-1	10.6	17.8
Pourpoint	°C	ASTM D 5950	<-50	<-40

Water hazard class: WGK 1
 Disposal code: EWC 160 114

The above information is subject to change without prior notice, although it is in accordance with current standards. Performance characteristics indicated are based on usual tolerances which occur during measuring and production using the latest technology. A safety data sheet is available for the product described.



MOTOREX AG LANGENTHAL
 Industrial lubrication technology
 Postfach, CH-4901 Langenthal, Switzerland
 Tel. +41 (0)62 919 74 74, Fax +41 (0)62 919 76 96
www.motorex.com

BUCHER AG LANGENTHAL
 MOTOREX lubrication technology
 Postfach, CH-4901 Langenthal, Switzerland
 Tel. +41 (0)62 919 75 75, Fax +41 (0)62 919 75 95
www.motorex.com